## What's Hot and What's Not™ (THE Northern California Flyfishing Report) from Fish First ! - updated 22 May 2014

WH&WN™ is provided courtesy of Fish First! Visit our retail stores at 1404 Solano Ave, Albany (Bay Area) 510-526-1937 and 766 Mangrove Ave, Chico (Central Valley) 530-343-8300. Access to our Albany store is easy from Interstate 80; access to our Chico store is easy from Hwy 32 off Interstate 5. Albany store hours 10am-6:30pm M-F, 10am-5pm Sat-Sun. Chico store hours: 9:30am-6pm M-Sat, 11am-4pm Sun.

Facebook Check out current updates on our Fish First page on Facebook. https://www.facebook.com/pages/Fish-First-Fly-Shop/179070695489335 To receive this report via email, visit our website <u>http://www.fishfirst.com</u> and follow the link to "Subscribe WH&WN™" under "Fishing Report". Email any questions or comments to info@fishfirst.com.

NCDGA page numbers: NCDAG page numbers in the comments section refer to page numbers in the Northern California DeLorme Atlas and Gazetteer.

Fishery	Water Conditions	Fishing Conditions, Techniques, and Hatches	Flies	Comments
Battle Creek	Slight tint, low 50's, Slightly high flows but wadeable.	<b>Fishing is fair to good.</b> Trout are rising to golden stones and caddis in the afternoon. Nymphing is the most productive tactic during the day. High stick rubberleg stones, caddis pupa and heavy beadhead nymphs in pocket water. Carpenter ants are bringing trout up along the edges when nothing else is happening. Prospecting with big, bright streamers on a sink tip is a good alternative to find fish.	Attractor beadhead nymphs Hogan's Steelie Caddis, hare's ear, twenty incher, Hart's dark lord, copper john (red, copper) bird's nest, black AP, prince of darkness, king prince, dirty bird (tan, olive), Hogan's drifter, biotic nymph, Hogan's Red Headed Step Child (#10-18). Ant patterns Deer hair ant, 2 tone Para ant, Schroeder's parachute ant, hi-vis foam ant, flying ant, fur ant, flying ant (#12-18). Golden stonefly dries and Golden stonefly nymphs (Listed elsewhere in report).	Moderate fishing pressure above Coleman Hatchery.
Baum Lake	Clear, low 50s, lake level is normal.	<b>Fishing is good.</b> Best fishing is early and late when the sun is off the water. A dry/dropper fished in the main current is the most common method of success. Try a purple parachute adams with a BWO or midge dropper. Some callibaetis and PMD's starting to show in the afternoon. On stormy afternoons, look for fish rising to drakes and BWO's. Fishing with a pram, pontoon boat, or float tube allows good access to weedbeds where stripping a crystal bugger on a sink tip line.	Attractor dries irresistible adams, parachute light cahill, Rio Grande trude, parachute adams, paralyzer, royal coachman, crystal stimulator, renegade, royal wulff, para wulff, (#10-18). Lake woolly buggers/streamers J Fair wiggle tail (olive, brown, burnt orange) BH woolly bugger (black, olive, brown), crystal bugger, mini bugger black/olive, seal bugger (rust, olive, black). BWO/Baetis nymphs and BWO/Baetis emerger/dries, Attractor beadhead nymphs, and Midge pupa (Listed elsewhere in report).	Light fishing pressure. A float tube or pram is best. NCDAG pg 48
Davis Lake (near Portola off hwy 70)	Clear, low to mid 50s F.	<b>Fishing is fair.</b> As temps rise, trout will move to the west side feeding on the leeward side of islands around Jenkins and Cow Creek. Strip streamers on a type two or three sinking line. Fishing snails and damsel nymphs will be good as the day warms. A few damsels have already been spotted so expect an early hatch this year. Hex were spotted hatching last year so get ready from mid June to mid July.	<b>Blood midge pupa</b> desert storm, WD 40 red, red brassie, disco midge red, red and copper zebra midge, red copper john, Hogan's red headed step child, Chironomid Larva (#12-14). Chirono Cones Red (#16,20). Attractor beadhead nymphs (listed elsewhere). Lake woolly buggers/streamers (listed elsewhere). Midge pupa (listed elsewhere).	Moderate to high fishing pressure. Coves may be busy during the weekends NCDAG pg 70. Tributaries around Davis lake open Saturday preceding Memorial Day to Nov. 15 <sup>th</sup> .
Fall River (Cal Trout access to Spring Creek Rd.)	Slight tint, normal spring flow.	<b>Fishing is fair to good.</b> The good spring hatches of PMD's starting around 10am and some callibaetis, followed by afternoon caddis are starting. Midges and BWO's are still around early and late with the best of the hatches on rainy afternoons. Good action subsurface with midges and BWO nymphs in the morning with a small indicator on 6X tippet. Fishing slows around 2pm but trout can be enticed to eat a black or cinnamon leech on an intermediate or type 2 sinking line on inside bends of the river.	PMD emergers/cripples/dries Harrop last chance PMD cripple, PMD CDC transitional dun, Harrop PMD captive dun, Lawson's PMD emerger, last chance PMD cripple, Quigley's Hat Creek PMD emerger, Brook's KD dun PMD, loopwing paradun PMD, Brook's sprout PMD, PMD biot comparadun, hackle stacker PMD, PMD hair wing dun, PMD sparkle dun, PMD parachute (#14-18). Midge pupa glass bead midge (red, black), crystal dip, disco midge, brassie, desert storm, zebra midge (rust, black), WD40 (olive, chocolate), skinny nelson, biot midge, crystal HBI (#18-22). BWO/Baetis emerger/dries and Lake woolly buggers/streamers (listed elsewhere).	Expect moderate fishing pressure. Pram with electric motor needed. Public access is at Cal Trout. NCDAG pg 38. CDAG pg 35.
Feather River, Middle Fork (Graeagle downstream)	Clear, mid 50s F, good wadeable flow.	<b>Fishing is good. Catch this while it's good!</b> Currently, trout are spread out. In the morning try a midge or BWO nymph under an attractor dry. As temps rise during the day, look for fish rising to march browns, and caddis in the afternoon. Streamers along the edges with a sink tip line is producing some browns. Rubberleg stones and beadhead nymphs will also produce. Some BWO's mid-morning and when the sun is off the water in the afternoon. Expect hatches of yellow sallies, caddis and PMD's as temps rise.	<b>Caddis cripples/dries</b> Hogan's last call caddis, Henryville, Brook's headlight, elk hair caddis (brown, tan, olive), Cutter's E/C, Overly's spotlight (tan, olive), Hemingway, Goddard caddis, peacock caddis, Lawson's E-Z caddis, Fox's crowning poopah olv/cinn, Kyle's better foam caddis (#12-20), Hopper Stone Tan (#6,8). <b>Little yellow stone dries</b> Hogan's yellow hanging stimulator, Brooks headlight little yellow sally, Cutter's little yellow sally, Quigley's little yellow sally, yellow stimulator, yellow crystal stimulator (#14-16). <b>Attractor dries</b> and <b>PMD</b> <b>emergers/cripples/dries</b> and <b>Attractor beadhead nymphs</b> and <b>Caddis pupa/emergers</b> (listed elsewhere).	Best fishing is from Two Rivers upstream and Layman's Camp. (Open First Saturday in April through Nov 15 from Union Pacific Railroad Bridge to Mohawk Bridge)

## What's Hot and What's Not™ (THE Northern California Flyfishing Report) from Fish First ! – updated 22 May 2014

Fishery	Water Conditions	Fishing Conditions, Techniques, and Hatches	Flies	Comments
Feather River,	Slight tint, low 50s	Fishing is good. Start your day with an attractor	Golden stonefly dries Hogan's split-wing stone, hedgehog,	Expect light fishing
N.F. (Cresta	F, 211 cfs below	nymph under an indicator with a little split shot. For	Hogan's hangin stimi, crystal stimulator, yellow humpy, rubber-	pressure. Access along Hwy
powerhouse to Lake	Rock Creek 184	bigger trout, concentrate on deep runs and close to	legged stimulator, Rogue foam golden stone, Gould's half down	70. Open to fishing from
Oroville)	below Grizzly Creek and 115 below Poe.	tributaries. High stick nymph a rubberleg stone with a caddis pupa dropper at the base of boulders. In	golden, Sloan's paralyzer, Carlson's egg sack stone (#8-12). <b>BWO nymphs</b> Hogan's S&M nymph, Hogan's better baetis,	Cresta powerhouse to lake Oroville. NCDAG pg 59.
	Check flows at	the evening this is the best time of year to hook big	Burk's crystal hunchback, Hogan's olive military may, Mercer's	CDAG pg 51.
	WWW.Dreamflows.	rainbows on stonefly and caddis dries. Best fishing	BWO trigger nymph, tailwater tiny, flashy pheasant tail, Sloan's	65/16 pg 511
	com.	for kids is on the Caribou section near Beldon where	mighty may. Attractor beadhead nymphs and Golden	
		can have good success on planted rainbows.	stonefly nymphs, Caddis cripples/dries (listed elsewhere).	
Hat Creek (PH#2	Clear, low 50s F,	Fishing is good. The PH#2 riffle is producing well	Attractor beadhead nymphs royal flush, Hogan's Steelie	Expect crowds at the PH#2
to fish barrier)	good flow.	with a stonefly nymph and small PMD dropper all	Caddis, hare's ear, twenty incher, Hart's dark lord, copper john	riffle on weekends. To
		day. Some BWO and PMD are hatching mid- morning, with some nice trout rising on the flats.	(red, black, lime, copper) bird's nest, black AP, prince of darkness, king prince, dirty bird (tan, olive), Hogan's drifter,	escape the crowds, try fishing below Carbon Flat
		Cripples and emergers fished downstream on 7x	biotic nymph, Hogan's Red Headed Step Child (#10-18). <b>Golden</b>	or the Hwy 299 bridge.
		tippet is needed to catch these wary trout. Afternoon	stonefly nymphs jumbo john, Morrish cone stone, Morrish	NCDAG pg 48.
		slows, but once the sun goes down the salmonflies	WMD, Poxyback golden stone nymph, Mercer's poxyquill golden	
		are out, along with small caddis, rusty spinners, and	stone, beadhead twenty incher, copper back, Pat's Rubberleg.	
		green drakes. Be sure to fish until dark.	Midge pupa and salmonfly dries (listed elsewhere).	
Hot Creek	Slight tint to off	Fishing is good. Water is a little off color due to	BWO/Baetis emerger/dries Brook's KD dun, Mercers	Expect moderate fishing
	color, high 40s F,	recent storms but will clear soon. BWO's are	emerging poxyback bwo, fluttering mayfly cripple BWO, Harrop	pressure on weekends.
	high flow (27 cfs).	hatching in the morning. The beginning of the caddis	captive dun, BWO extended body, Brooks CDC dun baetis, hackle	Access at upper parking lot
		hatch is in the afternoon. A few green drakes have been spotted on overcast and rainy days. Nymphing	stacker BWO, loopwing paradun, olive hatch master, parachute BWO, twilight baetis dun day-glo, BWO CDC transitional dun,	and fish downstream to the hot springs. NCDAG pg
		a midge under an indicator or as a dropper under a	Brook's sprout baetis, quill body baetis cripple, Harrop's CDC	112.
		dry in early morning is producing consistent action.	BWO emerger, Quigley's loopy cripple stacker, Burk's silhouette	112.
		Best tactic is to fish the edges and between weed	(#16-20). Midge pupa (listed elsewhere). Attractor dries and	
		beds where fish will hold looking for a meal.	BWO/Baetis nymphs (listed elsewhere).	
McCloud River	Good clarity, mid	Fishing is good to very good. Fishing is good from	Golden stonefly dries Hogan's split-wing stone, hedgehog,	High fishing pressure.
(below McCloud	50's, normal flow	9am on. Indicator nymph with a 2 fly rig large	Hogan's hangin stimi, crystal stimulator, yellow humpy, rubber-	Access below McCloud
Reservoir)	(166 cfs at Ash	golden stone with a smaller dark dropper of your	legged stimulator, Rogue foam golden stone, Gould's half down	Reservoir. NCDAG 36.
	Camp, 191 cfs at Ah-Di-Na)	choice. Switch the smaller dropper if it is not producing. The trout are getting selective and	golden, Sloan's paralyzer, Carlson's egg sack stone (#8-12). <b>River woolly buggers/streamers</b> and <b>Midge pupa</b> (listed	
	All-Di-Na)	spooky. Some dry action mid morning on PMD's and	elsewhere). Attractor beadhead nymphs (listed elsewhere)	
		caddis, but the best dry fly action is when the sun	and attractor dries and BWO/Baetis emerger/dries (listed	
		goes down on golden stones, PMD's and caddis. Go	elsewhere).	
		now fishing is prime. Lots of anglers on the river.		
Pit River #3,#4,	Green to brown	Fishing is good to very good. Start fishing around	River woolly buggers/streamers J Fair wiggle tail (olive,	Low fishing pressure on 3,
<b>#5</b> (below Lake	tint, low 50s F, no	9am with a two nymph rig – golden stone with a	brown, burnt orange) BH woolly bugger (black, olive, brown),	no pressure on 4. Access
Britton to Big Bend)	flow level on Pit #3	dark lord dropper. With fast water use plenty of split	crystal bugger, mini bugger black/olive, seal bugger (rust, olive,	below Lake Britton or from
	but slightly high, 416 cfs on Pit #4	shot and make accurate casts to the seams or your fly will never get down to the fish. The trout stay	black), hale bopp leach (brown, olive), Mack's bugger, bunny leach (white), chub minnow (#6-12). <b>Salmon fly dries</b> Rogue	Big Bend. Studded boots and a wading staff are a
	and 470 cfs on Pit	grabby until mid afternoon. Take a break and get	foam stone giant, hedgehog, stimulator (orange), B1 bomber,	must for fishing the Pit.
	#5.	ready for the evening. Caddis, golden stones, and	Hogan's hangin stimi, Chernobyl ant (#4-8). <b>Golden stonefly</b>	NCDAG pg 47. New CDAG
		some salmonflies are out depending on the area.	<b>nymphs</b> jumbo john, Morrish cone stone, Morrish WMD, Mercer's	pg. 34.
		Dry fly fishing is spotty, but cover lots of water and	raghead, Poxyback golden stone nymph, Mercer's poxyquill	- 5
		you will find a few willing takers. Fish until dark for	golden stone, micro cable stone, beadhead twenty incher, copper	
		best results. Trout are averaging a healthy 10-14	back, Pat's Rubberleg. Attractor beadhead nymphs and	
Cooronto	Green tint, low to	inches, with a few bruisers pushing 18 or better.	caddis pupa and golden stonefly dries (listed elsewhere).	Drift hast fishing is
Sacramento River, Lower	mid 50s, normal	<b>Fishing is very good.</b> Best fishing is with rubberleg stones, micro mayflies and black attractor nymphs	<b>Caddis pupa/emergers</b> Fox's poopah (olive, tan), Hot wire caddis, Anderson's peeking green, green machine, Fox's	Drift boat fishing is provides best access.
(below Keswick	flow 7,000 cfs.	fished under an indicator. Best of the dry fly action	springtime poopah, Amber wing prince, M's Dirty Bird, Hogan's	Market St, Convention
Reservoir)		is on the flats around 10am and 3pm. Not east to	steelie caddis, Silvey's submerger caddis (olive, tan), Silvey's	Center, Barge Hole and
		see the risers look closely for noses sipping	edible emerger (#12-18). <b>Golden stonefly nymphs, Attractor</b>	below Cypress Bridge are
		emergers and use a downstream drift. Hot fly: CDC	beadhead nymphs and BWO nymphs (listed elsewhere). PMD	all good spots to wade.
		comparadun and PMD sparkle dun. Caddis are	emergers/cripples/dries (listed elsewhere), Pale morning	NCDAG pg 46, 57. New
		getting stronger everyday. Best in Redding for big	dun nymphs (listed elsewhere) March brown nymphs/dries	CDAG pg. 41
		fish, but the best numbers are down to Los Molinos.	(listed elsewhere).	

## What's Hot and What's Not™ (THE Northern California Flyfishing Report) from Fish First ! – updated 22 May 2014

Fishery	Water Conditions	Fishing Conditions, Techniques, and Hatches	Flies	Comments
Sacramento River, Upper (Lake Siskiyou to Lake Shasta)	Clear, mid 50'sF. Low flow (250 at Delta).	<b>Fishing is good to very good.</b> Fishing gets going around 9am with trout eating golden stones to PMD's, caddis, and little black stuff. Most productive method is high sticking or indicator nymphing pockets and runs. Some trout rising mid morning if you keep your eyes open. The golden stones are starting to show in the evening and the dry fly fishing is getting better. Best action is on PMD's and caddis, but as the sun goes down the trout love the	Salmonfly dries Rogue foam stone giant, hedgehog, stimulator (orange), B1 bomber, Hogan's hangin stimi, Chernobyl ant (#4- 8). Golden stonefly dries and Attractor beadhead nymphs (listed elsewhere), BWO/Baetis nymphs and Caddis pupa/ emergers (and Golden stonefly nymphs (listed elsewhere).	Expect moderate fishing pressure. Be careful when wading. Access to Mossbrae falls at Scarlet Way is posted no parking. NCDAG 36, 46.
Truckee River (Trout Creek to CA Stateline)	Clear, low 50's. Low to moderate flow (135 cfs near Truckee, 405 cfs below Boca).	golden stone dries. Fishing is good from Dunsmuir all the way down to Lake Shasta. <b>Fishing is fair to good</b> . Flows are good with very little increase due to runoff. Stripping streamers along the edges can hook some big browns where there is a break in the current below Boca. Best fishing is above Boca where march browns, green drakes, and PMD's and caddis are starting to hatch. For best action fish subsurface with a dropper under a dry or two nymphs under an indicator. Primetime will be much earlier than normal this year, so expect it in the next week or two.	<b>BWO/Baetis nymphs</b> Hogan's S&M nymph, Hogan's better baetis, Burk's crystal hunchback, Hogan's olive military may, tailwater tiny, flashy pheasant tail, Sloan's mighty may, Burk's olive hunchback two-tone, Mercer's micro mayfly, tung split case BWO (#16-22). <b>River woolly buggers/streamers</b> (listed elsewhere). <b>Attractor beadhead nymphs</b> (listed elsewhere in report). <b>BWO/Baetis emerger/dries</b> (listed elsewhere).	Expect moderate fishing pressure. Access along Hwy 89 down through Hirshdale. NCDAG 81.

<u>Other Reports</u>. Little Truckee. Fishing is fair, BWO hatches have been occurring daily. Most productive times are from 9am to 2pm. Fishing is poor due to the extreme pressure this water has seen during the winter. Feather River (Hwy 70 bridge to Gridley) Best reports are from the top section above highway 70. Best fishing is in the afternoon when steelhead are keying on caddis pupas in runs and tailouts. Reports of a few opportunities to hook steelhead on caddis dries. Putah Creek (below Lake Berryessa) Fish the breaks in the current and along the edges with midges and BWO nymphs suspended under an indicator. Best fishing is in the morning when trout are feeding on midges and BWO's. Flows have increased making it difficult to land fish on 6X tippet. Concentrate on back eddies and breaks in the current.

**Shad Report** Low rainfall totals and less runoff will make wading off the bank for shad good this year. Shad are moving up the Sac, Feather, American and Yuba Rivers. Fishing a 225-300 grain fast sink shooting head with Rio's Grip Shooter running line will hook shad on the swing, stripped in, or jigged off the back of a boat in slower back eddies where shad can find relief from the current. **Sacramento River**-Shad are moving up! Reports are great around Verona and Grimes and good around Chico. Access at Woodson Bridge, Washout and along River Rd. **American River**-Shad are starting to show from Gristmill to the mouth. Look for slower water where shad can get a break from these high flows. **Yuba River**- No reports of shad, but increased flows will bring fish up the Yuba to Daguerre Dam. Access off Hallwood Ave. **Feather River**- No reports at Shanghai Bend. Flows are up in the past few days to 1,300 cfs in the low flow section and 1,700 cfs below the outlet. Higher flows will bring more shad up the Feather River. Best numbers on of fish are on the Sac and American.

Largemouth Bass Fishing Nothing like chugging a bass popper along the bank for a massive bass blow-up! Valley and foothill bass ponds are in prime shape with temps between 60 to 70 degrees. Thermalito Afterbay is located off highway 99 south of Chico. Thermalito is diverted water from the Feather River to warm water for rice farmers. This shallow water fishery has largemouth bass, big carp and hatchery steelhead. Cover the edges early morning with a bass popper (hot fly: Umpqua swimming frog). Best locations are around heavy cover. Best bass poppers have a weed guard to get through heavy cover without snagging. Midday, switch to a crayfish or baitfish pattern (good choice: clouser) on short sink tip with a heavy leader. Good reports from anglers fishing channels between islands and deep water (4-10') around ambush points and rock walls. Frank's Tract & San Joaquin Delta (including Mildred, San Joaquin River, and nearby sloughs) Water temps are currently high 60's to low 70's. Bass are pre-spawn, spawning and a few post spawn depending where you are. Early and late are ideal times to fish topwater poppers and divers around rock walls, heavy cover and up against tullies. Midday, clousers and crayfish patterns on a sink tip will produce. 8- 9 wt rods and are ideal to turn over big flies and fight fish.

WH&WN™ FREE flyfishing report would not be possible without the help of: Jon Baiocchi/Baiocchi Troutfitters, Tom/Lake Almanor Fly Fishing Co., Craig Nielsen/Shasta Trout Guide Service, Jordan Romney (Putah Fly Fishing Guide), Victor Babbit/Tahoe Fly Fishing Outfitters/Tahoe, Jerry/The Troutfitter/Mammoth Lakes, Ted Fay Flyshop/Dunsmuir, Greg/Sweeny's sport shop, Andy/Kiene's Fly Shop/Sacramento, Ken's Sporting Goods/Scott Freeman-EW report. Special thanks to all the WH&WN™ subscribers who have submitted their fishing reports for the fisheries listed in WH&WN, you help keep us honest, accurate, and up-to-date.