What's Hot and What's Not™ (THE Northern California Flyfishing Report) from Fish First! - updated 29 August 2014

WH&WN™ is provided courtesy of Fish First! Visit our retail stores at 1404 Solano Ave, Albany (Bay Area) 510-526-1937 and 766 Mangrove Ave, Chico (Central Valley) 530-343-8300. Access to our Albany store is easy from Interstate 80; access to our Chico store is easy from Hwy 32 off Interstate 5. Albany store hours 10am-6:30pm M-F, 10am-5pm Sat-Sun. Chico store hours: 9:30am-6pm M-Sat, 11am-4pm Sun.

Facebook Check out current updates on our Fish First page on Facebook. https://www.facebook.com/pages/Fish-First-Fly-Shop/179070695489335

To receive this report via email, visit our website http://www.fishfirst.com and follow the link to "Subscribe WH&WN™" under "Fishing Report". Email any questions or comments to info@fishfirst.com.

NCDGA page numbers: NCDAG page numbers in the comments section refer to page numbers in the Northern California DeLorme Atlas and Gazetteer.

Fishery	Water Conditions	Fishing Conditions, Techniques, and Hatches	Flies	Comments
Lake Almanor	Clear, high 60's, lake level is good.	Fishing is good to excellent. Rainbows are stacked in the mouth of Hamilton Branch and other tributaries seeking cool water. A float tube, pontoon boat or motor boat is best for stripping leach and pond smelt patterns on a uniform sinking line. Nymphing midges, attractor nymphs and egg patterns are producing rainbows to 3 pounds and more. Small cream midges hatching early and late. A small light cahill or parachute adams fished in the pocket water can rise big trout in the stream.	Lake woolly buggers/streamers J Fair wiggle tail (olive, brown, burnt orange) BH woolly bugger (black, olive, brown), crystal bugger, mini bugger black/olive, seal bugger (rust, olive, black), hale bopp leach (brown, olive), Mack's bugger, bunny leach (white), chub minnow (#6-12), Milt's floating pond smelt (#4-8). Attractor beadhead nymphs Hogan's Steelie Caddis, hare's ear, twenty incher, Hart's dark lord, copper john (red, copper) bird's nest, black AP, prince of darkness, king prince, dirty bird (tan, olive), Hogan's drifter, biotic nymph, Hogan's Red Headed Step Child (#10-18).	Float tube is needed for best access. Fishing pressure during the week is light with some pressure on the weekends at Hamilton Branch. CDAG pg 43. Road work on highway 32. Check Cal Trans for conditions.
Deer Creek (Along Highway 32)	Slight tint, low to mid 60's F, high flow.	Fishing is good. Fishing is best early and late when trout are actively eating small mayflies and midges in riffles and pocket water. As temps rise, switch to a beadhead nymph dropper tied to the bend of a caddis dry. Afternoon slows, take a break. Fishing improves as the sun is off the water with trout keying on yellow sallies and caddis. Good reports around Elam and Alder campgrounds where there are good numbers of stocked fish. When other small streams are low and warm, Deer Creek is holding strong with cold oxygenated water. Great 1-3 wt rod water.	Attractor dries irresistible adams, parachute light cahill, Rio Grande trude, parachute adams, paralyzer, royal coachman, crystal stimulator, renegade, royal wulff, para wulff, (#10-18). Ant patterns Deer hair ant, 2 tone Para ant, Cutter's perfect ant, Schroeder's parachute ant, hi-vis foam ant, flying ant, fur ant, flying ant (#12-18). PMD emergers/cripples/dries Lawson's PMD emerger, fluttering mayfly cripple PMD, last chance PMD cripple, Quigley's Hat Creek PMD emerger, Brook's KD dun PMD, loopwing paradun PMD, Brook's sprout PMD, PMD biot comparadun, hackle stacker PMD, PMD hair wing dun, PMD sparkle dun, PMD parachute (#14-18). Caddis pupa/emergers and d Attractor beadhead nymphs (listed elsewhere in report).	Expect moderate fishing pressure. Access off Hwy 32 from Deer Creek bridge upstream to Hwy 36. Catch & Release from Deer Creek Falls down stream to Ishi Wilderness. NCDAG pg. 58.
Fall River (Cal Trout access to Spring Creek Rd)	Slight tint, normal Summer flow.	Fishing is fair to good. Trout are keying on midges and baetis subsurface early. A small midge and mayfly nymphs fished below an indicator along the flats are producing good numbers. Trout concentrate on small areas with good insect activity. Surface activity is isolated with trout keying on caddis in the morning, PMD's mid morning and callibaetis in the afternoon. Stripping and swinging unweighted mohair leeches on an intermediate or type 2 sinking line is producing some quality trout. Weeds are thick but cool water is keeping the insects and trout active. Great time of year to get quality trout without the crowds.	Callibaetis dries sparkle dun, captive dun, CDC callibaetis transitional dun, Brook's CDC dun callibaetis, fluttering mayfly callibaetis, CDC biot comparadun, callibaetis extended body, Quigley's flashwing cripple, callibaetis cripple, Brook's sprout callibaetis, hackle stacker callibaetis, loopwing callibaetis, parachute adams, Callibaetis extended body (#14-16). Caddis cripples/dries and Midge pupa glass bead midge (red, black), crystal dip, disco midge, brassie, desert storm, zebra midge (rust, black), WD40 (olive, chocolate), skinny nelson, crystal HBI (#18-22). PMD emergers/cripples/dries and Lake woolly buggers/streamers (listed elsewhere).	Expect moderate fishing pressure. Pram with electric motor needed. Public access is at Cal Trout. NCDAG pg 38. CDAG pg 35.
Feather River (Hwy 70 bridge to Gridley)	Clear, mid 60s F, good flow in low flow (1100 cfs), high flow below the Afterbay (1,700 cfs) at Gridley.	Fishing is fair to good. Best fishing is early and late when the first run of steelhead are feeding on caddis, midges and BWO. Caddis pupa and attractor beadhead nymphs are hot flies early and late in riffles. Midday, steelhead will move to deep pools and runs, try a birds nest and attractor beadhead nymph under an indicator. Steelhead fishing will improve when cooler temps get salmon on their redds. Some reports of spey anglers swinging pink and purple intruders around Vance and Palm Ave. 8 weight spey with a Skagit and T-14 tip to get it down is producing a few big chrome Chinook. No salmon fishing in the low flow section!	Caddis pupa/emergers Fox's poopah (olive, tan), Hot wire caddis, Anderson's peeking green, green machine, Fox's springtime poopah, Amber wing prince, M's Dirty Bird, Hogan's steelie caddis, Silvey's submerger caddis (olive, tan), Silvey's edible emerger (#12-18). Steelhead wet flies/streamers Mossback, assassin (natural, copper), Herniator (silver, copper), gray hackle yellow, chappie, burlap, bleeding prawn (chart/orange), cone sucking bunny, egg sucking crystal leach, general practitioner (black, orange), comet, green butted skunk, freight train, sedge spey purple, red headed boss, coal car, skykomish sunrise, prism, purple peril, silver hilton, winters hope, Gareth's fire fly, red ant (#4-8). BWO/Baetis nymphs and Attractor beadhead nymphs (listed elsewhere).	Moderate fishing pressure. Access from Oroville State Wildlife Area. The stretch above Hwy 70 is closed until Jan 1. Be sure to have your steelhead card signed and dated before fishing. NCDAG pg 68, 78.

What's Hot and What's Not™ (THE Northern California Flyfishing Report) from Fish First! – updated 29 August 2014

Fishery	Water Conditions	Fishing Conditions, Techniques, and Hatches	Flies	Comments
Feather River,	Slight tint, mid 60s	Fishing is fair. Best of the surface action is when	Golden stonefly dries Hogan's split-wing stone, hedgehog,	Expect light fishing
N.F. (Cresta	F, 227 cfs below	the sun is off the water. Concentrate on pocket	Hogan's hangin stimi, crystal stimulator, yellow humpy, rubber-	pressure. Access along Hwy
powerhouse to Lake	Rock Creek 239	water below a riffle where temps are cool and bug	legged stimulator, Rogue foam golden stone, Gould's half down	70. Open to fishing from
Oroville)	below Grizzly Creek	activity is best. Best dry fly action is around Beldon	golden, Sloan's paralyzer, Carlson's egg sack stone (#8-12). BWO	Cresta powerhouse to lake
	and 104 below Poe.	where water is the coolest. Nymphing midday in	nymphs Hogan's S&M nymph, Hogan's better baetis, berry	Oroville. NCDAG pg 59.
	Check flows at	oxygenated water will find rainbows finding relief	nymph in gooseberry, Burk's crystal hunchback, Hogan's olive	CDAG pg 51.
	WWW.Dreamflows.	from the midday sun. Cover water to find pods of	military may, Mercer's BWO trigger nymph, Kyle's beerhead	
	com.	fish with a golden stone, beadhead nymph or	baetis, tailwater tiny, flashy pheasant tail, Sloan's mighty may.	
		caddis pupa. Best nymphing is deep with heavy	PMD emergers/cripples/dries and Attractor beadhead	
		weight and no indicator to get flies down between	nymphs and Midge pupa and Golden stonefly nymphs,	
		the boulders. Use 4X tippet to have a chance to	Caddis cripples/dries (listed elsewhere).	
		land these thick rainbows. The Caribou Road		
	G1 . 11 1 . 1 . 66	section provides good numbers of stocked trout.		
Frank's Tract &	Clear to slightly off	Fishing is fair. The striper fishing if off to an early	Striper patterns Flashtail clousers and whistlers in	Boat needed - rentals are
San Joaquin Delta	color (3-6 ft	start. Lots of 8 to 15 inchers in the system, but a	chartreuse/white, pink/white, all white, and black (2/0-3/0),	available at Sugar Barge
(including Mildred,	visibility, mid to	few 3-6 pounders mixed in. Best action is on or	pearly poppers (red/yellow, green/yellow), gurglers, crease fly.	Marina on Bethel Island.
San Joaquin River,	high 60s F.	near the San Joaquin River. Switch to a bigger fly		Moderate to heavy fishing
and nearby sloughs)		to get away from the schoolies. Good topwater early and late around the weed beds with gurglers		pressure. NCDAG pg 96 and 106. New CDAG pg.
		and crease flies when the wind is down. Wind is		72, 73.
		definitely a problem this early in the season and		72, 73.
		can blow you off the water. Hot bay weather		
		usually means the wind will decrease in the delta.		
Hat Creek (PH#2	Clear, low 50s F,	Fishing is fair early and late. Best action is on	Attractor beadhead nymphs royal flush, Hogan's Steelie	Expect crowds at the PH#2
to fish barrier)	good flow.	the flats early with a small trico, PMD or callibaetis	Caddis, hare's ear, twenty incher, Hart's dark lord, copper john	riffle on weekends. To
•		with a long, fine leader. Midday is slow due to hot	(red, black, lime, copper) bird's nest, black AP, prince of darkness,	escape the crowds, try
		weather and lack of hatches. Fishing picks up	king prince, dirty bird (tan, olive), Hogan's drifter, biotic nymph,	fishing below Carbon Flat
		around dusk with trout eating yellow sallies, PMD's	Hogan's Red Headed Step Child (#10-18). Little yellow stone	or the Hwy 299 bridge.
		and caddis. Cooler weather will improve hatches.	dries (listed elsewhere). PMD emergers/cripples/dries and	NCDAG pg 48.
		Good reports at PH2 with a small beadhead nymph	Midge pupa (listed elsewhere).	
		under a parachute style fly.		
Hot Creek	Slight tint to off	Fishing is good. Weeds are up and water temps	BWO/Baetis emerger/dries Brook's KD dun, Mercers emerging	Expect moderate fishing
	color, mid 50s F,	are holding in the mid 60's. Dead drift a small	poxyback bwo, fluttering mayfly cripple BWO, Harrop captive dun,	pressure on weekends.
	low flow (6 cfs).	caddis, BWO or hopper in open feeding lanes in	BWO extended body, Brooks CDC dun baetis, hackle stacker BWO,	Access at upper parking lot
		weed beds. The best of the hatches are in the late afternoon with rainbows and browns rising to	loopwing paradun, olive hatch master, parachute BWO, twilight baetis dun day-glo, BWO CDC transitional dun, Brook's sprout	and fish downstream to the hot springs. NCDAG pg
		caddis. If caddis are too abundant, switch to a	baetis, quill body baetis cripple, Harrop's CDC BWO emerger,	112.
		small hopper or ant pattern along the bank and in	Quigley's loopy cripple stacker, Burk's silhouette (#16-20). Midge	112.
		the open slots of vegetation. Getting hooked trout	pupa (listed elsewhere). Caddis cripples/dries and	
		out of the weeds is always a challenge.	BWO/Baetis nymphs (listed elsewhere).	
Klamath River	Clear, high 60s,	Fishing is good. Recent pulse flows have brought	Steelhead wet flies/streamers Mossback, assassin (natural,	Expect heavy fishing
(mouth to Orleans)	good flow (1190 cfs	more fish into the system and moved steelies up	copper), Herniator (silver, copper), cone sucking bunny, egg	pressure in the lower part
	at Orleans).	from Blue Creek where they have been stacked.	sucking crystal leach, general practitioner (black, orange), comet,	of the river. Access at
		Best fishing is from the mouth to Orleans with fish	green butted skunk, coal car, skykomish sunrise, prism, purple	Orleans and Somes Bar
		stacking near cool tributaries. In the morning and	peril, silver hilton, winters hope, Gareth's fire fly, red ant (#4-8).	along hwy 96. NCDAG 33,
		evening fish assassins, herniators, and mossbacks		34. New CDAG pg. 30, 31
		on a floating line with a longer leader. As the water		
	0 1 1 " ''	temps increases midday, go deeper with a sink tip.		M 1
McCloud River	Good clarity, mid	Fishing is fair. Hatches are slowing as they do in	Little yellow stone dries Mini hot, Brooks headlight little yellow	Moderate fishing pressure.
(below McCloud	to high 50's,	August but luckily trout remember. Prospecting	sally, Cutter's little yellow sally, Quigley's little yellow sally, yellow	Access below McCloud
Reservoir)	normal flow (207	with a golden stone, ant, PMD or streamer in	stimulator, yellow crystal stimulator (#14-16). Golden stonefly	Reservoir. NCDAG 36.
	cfs at Ash Camp, 198 cfs at Ah-Di-	pocket water can produce rainbows in the morning	dries Hogan's split-wing stone, hedgehog, Hogan's hangin stimi,	
		and evening. Nymphing with a golden stone and a	crystal stimulator, yellow humpy, rubber-legged stimulator, Rogue foam golden stone, Gould's half down golden, Sloan's paralyzer,	
	Na)			
	Na)	small dark beadhead nymph is your best bet. Get		
	Na)	the flies in deep oxygenated water for bigger trout. Fishing will improve when cool temps bring out	Carlson's egg sack stone (#8-12). River woolly buggers/streamers (listed elsewhere). Attractor beadhead	

What's Hot and What's Not™ (THE Northern California Flyfishing Report) from Fish First! - updated 29 August 2014

Fishery	Water Conditions	Fishing Conditions, Techniques, and Hatches	Flies	Comments
Pit River #3,#4, #5 (below Lake Britton to Big Bend)	Green to brown tint, 60- 66 degrees F on Pit 3, 331 cfs on Pit #3 but somewhat high, 424 cfs on Pit #4 with water temps at 64-70 degrees and 433 cfs on Pit #5. Green tint, low to	Fishing is good. Pit 3 is fishing best from dawn to noon and again from 4pm to dark. Nymph the pocket water with black AP's, tan birdsnest and tan caddis pupa. Some caddis, PMD's and yellow sallies hatching below Pit #4 and 5 when the sun is off the water in the afternoon. Hatches are sparse and isolated. Good to have some dries just in case. No reports of Isonychia, but this is the time they start. Isonychia tend to concentrate in tailouts, so dead-drift with a big swing at the end of the drift. Fishing is fair to good. Salmon are starting to	River woolly buggers/streamers J Fair wiggle tail (olive, brown, burnt orange) BH woolly bugger (black, olive, brown), crystal bugger, mini bugger black/olive, seal bugger (rust, olive, black), hale bopp leach (brown, olive), bunny leach (white), chub minnow (#6-12). Golden stonefly nymphs jumbo john, Morrish cone stone, Morrish WMD, Mercer's raghead, Poxyback golden stone nymph, Mercer's poxyquill golden stone, micro cable stone, beadhead twenty incher, copper back, Pat's Rubberleg. Caddis pupa/emergers and Attractor beadhead nymphs and Golden stonefly dries and Little yellow stone dries (listed elsewhere). Caddis cripples/dries Hogan's last call caddis, Henryville,	Low fishing pressure on 3, no pressure on 4. Access below Lake Britton or from Big Bend. Studded boots and a wading staff are a must for fishing the Pit. New flow regiment makes wading very tough. NCDAG pg 47. New CDAG pg. 34. Drift boat fishing is
River, Lower (below Keswick Reservoir to Butte City)	mid 50s, moderate normal flow 7,500 cfs.	show due to warm temps on the lower river. Trout are eager for the egg drop. Even though salmon are not spawning yet, eggs are producing in riffles. From a drift boat, tandem flies under an indicator in 4-6 feet of water is the most productive method. Hot flies: Birds nest, Rubber legged stones, and PMD nymphs. Best dry fly fishing with caddis dries is just before dark when the sun is off the water. Stripers are actively feeding on pike minnow and juvenile shad on weed beds and around structure. Chartreuse and while clousers and whistlers stripped in 3-6 feet of water will find stripers. Best fishing is around Chico.	Brook's headlight, elk hair caddis (brown, tan, olive), Cutter's E/C, Overly's spotlight (tan, olive), Hemingway, Goddard caddis, hot butt peacock caddis, peacock caddis, Lawson's E-Z caddis, Fox's crowning poopah olv/cinn, Kyle's better foam caddis (#12-20), Caddis pupa/emergers Fox's poopah (olive, tan), Hot wire caddis, Anderson's peeking green, green machine, Fox's springtime poopah, Amber wing prince, M's Dirty Bird, Hogan's steelie caddis, Silvey's edible emerger (#12-18). Little yellow stonefly nymphs poxy back micro stone tungsten hotwire prince, Morrish's iron sally (#14-16). Golden stonefly nymphs and Attractor beadhead nymphs and BWO nymphs and PMD emergers/cripples/dries and Pale morning dun nymphs (listed elsewhere).	provides best access. Market St, Convention Center, Barge Hole and below Cypress Bridge are all good spots to wade. NCDAG pg 46, 57. New CDAG pg. 41
Yuba River, North Fork (between Downieville and Sierra City)	Clear, mid to high 60's, low flow (low).	Fishing is fair to good. Best fishing is near Sierra City where water temps are cool when the sun is off the water. Matching the hatch is not as important that a good dead drift with an attractor dry with a small beadhead dropper. This is great 3 weight rod water with plenty of 6-10 inch trout.	Attractor beadhead nymphs (listed elsewhere). Attractor dries (listed elsewhere in the report). Golden stonefly nymphs and Golden stonefly dries (listed elsewhere). Caddis pupa/emergers (listed elsewhere).	Light fishing pressure. Access off of Hwy 49. NCDAG pg 70.
Yuba River, Lower (from Englebright dam to Marysville)	Clear, low 50s F, moderate flow, 1,012 cfs below Englebright.	Fishing is fair. Flows are coming down and salmon are starting to show. Be sure to fish egg patterns in the morning behind pods of salmon in riffles. Salmon are not spawning yet but trout are eager. Best action is with dark stonefly nymphs and a midge dropper. Best hatches above highway 20 (Parks Bar) and above Hammond Grove. The Yuba closes above Hwy 20 Bridge August 31st.	PMD emergers/cripples/dries Lawson's PMD emerger, fluttering mayfly cripple PMD, last chance PMD cripple, Quigley's Hat Creek PMD emerger, Brook's KD dun PMD, loopwing paradun PMD, Brook's sprout PMD, PMD biot comparadun, hackle stacker PMD, PMD hair wing dun, PMD sparkle dun, PMD parachute (#14-18). Golden stonefly nymphs (listed elsewhere). Attractor beadhead nymphs and BWO/Baetis nymphs and Midge pupa and BWO/Baetis emerger/dries (listed elsewhere).	Water above Hwy 20 bridge is open from December 1st until August 31st. Access at the Hwy 20 bridge and Sycamore Ranch campground. NCDAG pg 78,79.

Other Reports. Truckee River (Trout Creek to CA Stateline) is improving with cool nights. Best fishing is dawn to 10 am when water temps are their coolest. Best fishing is on cloudy days or rainy afternoons. Be sure to check the water temps before you fish! Little Truckee (Between Stampede and Boca Reservoirs) Trout are very spooky and not eager to rise to just any attractor dry. Light tippet, a stealthy presence and a good match to the hatch is essential for hooking these wild fish. Look for trout rising to PMD's, caddis and yellow sallies mid-morning. Bring a thermometer! Trout do not revive well in water over 70 degrees. Carson River, E.F. (Along Hwy 89 downstream to Nevada) Best fishing is early when water temps are cool and fish are active. Look for trout rising to tricos along the edges. Water clarity is off below Hangman's bridge slowing down the hatch. Be done fishing around 10am when water temps start to rise. Bring a thermometer! Please do not fish water above 70 degrees. Trinity River (near Lewiston) is fishing fair. Best action in the morning is with a beadhead nymph and caddis pupa under an indicator in the morning before hatches get going. In the afternoon, trout are rising to hatches of PMD's and caddis. Biggest fish are on streamers swung with a sink tip line in the deepest runs and pools. A few chrome steelhead starting to show in lowers sections around Willow Creek. The bulk of the fish will start their run up the trinity towards the end of September. Putah Creek (below Lake Berryessa) High summer flows making fishing tough. Fish the breaks in the current and along the edges with midges and BWO nymphs suspended under an indicator. Best fishing is in the morning when trout are feeding on midges and BWO's. Flows have increased making it difficult to land fish on 6X tippet. Concentrate on back eddies and breaks in the current. Sacramento River, Upper (Lake Siskiyou to Lake Shasta) is fishing early and the last 15 minutes of light. Best action is in Dunsmuir where cool water and planted trout prov

WH&WN™ FREE flyfishing report would not be possible without the help of: Jon Baiocchi/Baiocchi Troutfitters, Tom/Lake Almanor Fly Fishing Co., Craig Nielsen/Shasta Trout Guide Service, Jordan Romney (Putah Fly Fishing Guide), Victor Babbit/Tahoe Fly Fishing Outfitters/Tahoe, Jerry/The Troutfitter/Mammoth Lakes, Ted Fay Flyshop/Dunsmuir, Greg/Sweeny's sport shop, Andy/Kiene's Fly Shop/Sacramento, Ken's Sporting Goods/Scott Freeman-EW report. Special thanks to all the WH&WN™ subscribers who have submitted their fishing reports for the fisheries listed in WH&WN, you help keep us honest, accurate, and up-to-date.